

Appl. No. 09/348,891  
Response Dated May 23, 2007  
Reply to Office Action dated February 23, 2007

**Claims:**

A listing of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121. This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Previously Presented) A method of detecting a watermark in a compressed video signal comprising spectral coefficients obtained by transforming at least one picture of said video signal, the method comprising:
  - accumulating spatially corresponding coefficients of at least one picture of one frame of the video signal, wherein a picture is an array of pixels having the same size as the watermark;
  - inverse transforming said accumulated coefficients into an accumulated plurality of pictures; and
  - detecting the watermark in said accumulated plurality of pictures.
2. (Previously Presented) The method as claimed in claim 1, wherein said encoded video signal includes predictively encoded pictures each comprising coefficients representing a residual picture after subtracting a prediction picture, and wherein the step of accumulating coefficients is applied to the coefficients representing said residual pictures irrespective of coefficients representing the prediction picture.
3. (Previously Presented) The method as claimed in claim 2, wherein said predictively encoded pictures further include motion vectors, and wherein the step of accumulating coefficients is carried out irrespective of said motion vectors.

Appl. No. 09/348,891

Response Dated May 23, 2007

Reply to Office Action dated February 23, 2007

4. (Previously Presented) An arrangement for detecting a watermark in a compressed video signal comprising spectral coefficients obtained by transforming at least one picture of said video signal, the arrangement comprising:

means for accumulating spatially corresponding coefficients of at least one picture of one frame of the video signal, wherein a picture is an array of pixels having the same size as the watermark;

means for inverse transforming said accumulated coefficients into an accumulated plurality of pictures; and

means for detecting the watermark in said accumulated plurality of pictures.

5. (Cancelled).

6. (Previously Presented) A device for recording and/or playing back a compressed video signal, said device comprising means for disabling recording and/or playback of the video signal in dependence upon the presence of a watermark in said video signal, characterized in that the device comprises an arrangement for detecting said watermark in the video signal, said arrangement comprising:

means for accumulating spatially corresponding coefficients of at least one picture of one frame of the video signal, wherein a picture is an array of pixels having the same size as the watermark;

means for inverse transforming said accumulated coefficients into an accumulated plurality of pictures; and

means for detecting the watermark in said accumulated plurality of pictures.

7. (Previously Presented) A method of detecting a watermark in a compressed video signal comprising spectral coefficients obtained by transforming at least one picture of said video signal, the method comprising:

accumulating spatially corresponding coefficients of at least one picture, wherein the accumulated coefficients comprise less data than one frame of the video signal;

Appl. No. 09/348,891

Response Dated May 23, 2007

Reply to Office Action dated February 23, 2007

inverse transforming said accumulated coefficients into an accumulated plurality  
of pictures; and  
detecting the watermark in said accumulated plurality of pictures.